

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCY United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/037,659	01/02/2002	Tanya Couch	SVL920010074US1/2304P	6531
45728 7590 10/03/2007 SAWYER LAW GROUP LLP P.O. BOX 51418			EXAMINER	
			BETIT, JACOB F	
PALO ALTO, CA 94303			ART UNIT	PAPER NUMBER
			2164	
	·.	•		
			NOTIFICATION DATE	DELIVERY MODE
			10/03/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patent@sawyerlawgroup.com nikia@sawyerlawgroup.com

•	Application No.	Applicant(s)				
	10/037,659	COUCH ET AL.				
Office Action Summary	Examiner	Art Unit				
	Jacob F. Bétit	2164				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period was realiure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUN 36(a). In no event, however, may a will apply and will expire SIX (6) MC cause the application to become A	ICATION. I reply be timely filed PNTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 30 Ap	I)⊠ Responsive to communication(s) filed on <u>30 April 2007</u> .					
2a) This action is FINAL . 2b) ⊠ This	This action is FINAL . 2b)⊠ This action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	x parte Quayle, 1935 C.	D. 11, 453 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>1-90</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-90</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
	,					
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date Notice of Informal Patent Application						
Paper No(s)/Mail Date	6) 🔲 Other:	·				

DETAILED ACTION

Remarks

1. In response to the decision of the Board of Patent Appeals and Interferences dated 30 April 2007, a new rejection is presented below.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-5, 10-12, 14-17, 22-24, 26-31, 36-38, 40-43, 48-50, 52-58, 64-65, and 67-90 rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Drexter</u> (U.S. patent application publication No. 2002/0046248 A1) in view of <u>Leymann et al.</u> (U.S. patent No. 6,122,633).

As to claim 1, <u>Drexter</u> teaches a method for converting messaging data into a relational table format in a database system, wherein the messaging data is within a messaging system (see page 1, paragraph 0002), the method comprising the steps of:

- (a) providing a plurality of table formatting specifications; (see page 2, paragraph 0029);
- (b) utilizing the plurality of table formatting specifications to automatically build a table function (see page 3, paragraph 0034);
- (c) invoking the table function to access the messaging data (see pages 2-3, paragraphs 0030-0033); and

(d) converting the messaging data by the table function into specific data types according to the plurality of table formatting specifications, wherein the messaging data is transformed into the relational table format (see page 3, paragraph 0033).

<u>Drexter</u> does not distinctly disclose storing a table function in the database system, and invoking the table function from within the database system.

Leymann et al. teaches this, see column 3, lines 43-59; column 10, lines 15-54; column 11, line 50 through column 12 line 9; and column 12, line 58 through column 13, line 7.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> to include the teachings of <u>Leymann et al.</u> because the location of the table function in no way effects the result of what happens when the table function is invoked to convert the message data. Therefore it would be obvious to have the table function be part of the database to produce the same predictable results.

Further, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the database with the table function because it is commonplace that combination of two things typically used together into a single thing is obvious. See, e.g., Anderson's-Black Rock, Inc. v. Pavement Salvage Co., 396 U.S. 57 (1969); Richardson-Vicks Inc. v. Upjohn Co., 122 F.3d 1476, 44 USPQ2d 1181 (Fed.Cir. 1997).

As to claim 27, <u>Drexter</u> teaches a computer readable medium containing programming instructions for converting messaging data into a relational table format in a database system, wherein the messaging data is within a messaging system (see page 2, paragraph 0024), comprising the programming instructions for:

- (a) providing a plurality of table formatting specifications (see page 2, paragraph 0029);
- (b) utilizing the plurality of table formatting specifications to automatically build and a table function (see page 3, paragraph 0034);
- (c) invoking the table function to access the messaging data (see pages 2-3, paragraphs 0030-0033); and
- (d) converting the messaging data by the table function into specific data types according to the plurality of table formatting specifications, wherein the messaging data is transformed into the relational table format (see page 3, paragraph 0033).

<u>Drexter</u> does not distinctly disclose storing a table function in the database system, and invoking the table function from within the database system.

Leymann et al. teaches this, see column 3, lines 43-59; column 10, lines 15-54; column 11, line 50 through column 12 line 9; and column 12, line 58 through column 13, line 7.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified Drexter to include the teachings of Leymann et al. because the location of the table function in no way effects the result of what happens when the table function is invoked to convert the message data. Therefore it would be obvious to have the table function be part of the database to produce the same predictable results.

Further, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the database with the table function because it is commonplace that combination of two things typically used together into a single thing is obvious. See, e.g., Anderson's-Black Rock, Inc. v. Pavement Salvage Co., 396 U.S. 57 (1969); Richardson-Vicks Inc. v. Upjohn Co., 122 F.3d 1476, 44 USPQ2d 1181 (Fed.Cir. 1997).

Art Unit: 2164

As to claims 2 and 28, <u>Drexter</u> as modified, teaches wherein the table function invokes at least one messaging function within the database system (see <u>Drexter</u>, page 4, paragraph 0042).

As to claims 3 and 29, <u>Drexter</u> as modified, teaches wherein the table function and the at least one messaging function are user-defined functions within the database system (see <u>Drexter</u>, page 3, paragraph 0034).

As to claims 4 and 30, <u>Drexter</u> as modified, teaches wherein the at least one messaging function retrieves and reads messaging data in the message system (see <u>Drexter</u>, page 4, paragraph 0042).

As to claims 5 and 31, <u>Drexter</u> as modified, teaches wherein the providing step (a) further includes the step of:

(a1) reading the plurality of table formatting specifications from a file (see <u>Drexter</u>, page 4, paragraph 0041).

As to claims 10 and 36, <u>Drexter</u> as modified, teaches wherein the providing step (a) further includes the step of:

(a1) providing formatting information about the messaging data (see <u>Drexter</u>, pages 2-3, paragraphs 0030-0033).

Art Unit: 2164

As to claims 11 and 37, <u>Drexter</u> as modified, teaches wherein the providing step (a1) further includes the steps of:

(a1i) designating a delimiter character, wherein the delimiter character separates the messaging data into column data (see <u>Drexter</u>, pages 2-3, paragraphs 0030-0031).

As to claims 12 and 38, <u>Drexter</u> as modified, teaches wherein the converting step (d) further comprising:

(d1) invoking a parser function within the database system for parsing the delimited messaging data (see <u>Drexter</u>, pages 2-3, paragraphs 0030-0031).

As to claims 14 and 40, <u>Drexter</u> as modified, teaches wherein the providing step (a1) further includes the step of:

(ali) specifying a fixed-length format by indicating a position (see <u>Drexter</u>, page 3, paragraph 0036) and length of each column (see <u>Drexter</u>, pages 2-3, paragraph 0030).

As to claims 15 and 41, <u>Drexter</u> as modified, teaches wherein the providing step (a) further includes the step of:

(a2) allowing a user to view the messaging data in the messaging system to verify the formatting information provided (see Drexter, page 6, paragraph 0064).

As to claims 16 and 42, <u>Drexter</u> as modified, teaches wherein the messaging data comprises a message string, the message string including a plurality of substrings, wherein each

Art Unit: 2164

substring represents data that is returned as a column in a table (see <u>Drexter</u>, page 3, paragraph 0037, where "column" is read on "field").

As to claims 17 and 43, <u>Drexter</u> as modified, teaches wherein the providing step (a) further includes the step of:

(a1) defining a column for each substring of the plurality of substrings in the message string (see <u>Drexter</u>, page 3, paragraph 0036).

As to claims 22 and 48, <u>Drexter</u> as modified, teaches wherein the providing step (a) further includes the step of:

(a1) allowing a user to create and name a table view based on the table formatting specifications (see <u>Drexter</u>, page 3, paragraphs 0034-0037).

As to claims 23 and 49, as modified, <u>Drexter</u> teaches wherein the invoking step (c) further includes the step of:

(c1) selecting messaging data from the table view (see <u>Drexter</u>, page 3, paragraph 0036).

As to claims 24 and 50, as modified, <u>Drexter</u> teaches wherein the providing step (a) further includes the step of:

(a1) allowing a user to review a summary of the table formatting specifications before building the table function (see <u>Drexter</u>, page 3, paragraph 0035-0036).

Art Unit: 2164

As to claims 26 and 52, as modified, <u>Drexter</u> teaches further including populating directly a relational table in the database system with the returned messaging data (see <u>Drexter</u>, figure 1).

As to claim 53, <u>Drexter</u> teaches a system for converting messaging data into a relational table format in a database system, wherein the messaging data is within a messaging system (see <u>Drexter</u>, page 1, paragraph 0002), the system comprising:

a processor (see page 2, paragraph 0023);

a table function building application executable by the processor for receiving a plurality of table formatting specifications (see page 2, paragraph 0029) and for utilizing the plurality of table formatting specifications to automatically build and a table function (see page 3, paragraph 0034, where it is inherent that the associations (functions) are stored if they are going to be retrieved or recalled); and

means for invoking the table function to access the messaging data (see pages 2-3, paragraphs 0030-0033);

wherein, once invoked, the table function converts the messaging data into specific data types according to the plurality of table formatting specifications and transforms the messaging data into the relational table format (see page 3, paragraph 0033).

<u>Drexter</u> does not distinctly disclose storing a table function in the database system, and invoking the table function from within the database system.

Leymann et al. teaches this, see column 3, lines 43-59; column 10, lines 15-54; column 11, line 50 through column 12 line 9; and column 12, line 58 through column 13, line 7.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the

Art Unit: 2164

invention was made to have modified <u>Drexter</u> to include the teachings of <u>Leymann et al.</u> because the location of the table function in no way effects the result of what happens when the table function is invoked to convert the message data. Therefore it would be obvious to have the table function be part of the database to produce the same predictable results.

Further, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the database with the table function because it is commonplace that combination of two things typically used together into a single thing is obvious. See, e.g., Anderson's-Black Rock, Inc. v. Pavement Salvage Co., 396 U.S. 57 (1969); Richardson-Vicks Inc. v. Upjohn Co., 122 F.3d 1476, 44 USPQ2d 1181 (Fed.Cir. 1997).

As to claim 54, <u>Drexter</u> as modified, teaches wherein the table function invokes at least one messaging function within the database system (see <u>Drexter</u>, page 3, paragraph 0038).

As to claim 55, <u>Drexter</u> as modified, teaches wherein the table function and the at least one messaging function are user-defined functions within the database system (see <u>Drexter</u>, page 3, paragraph 0034).

As to claim 56, <u>Drexter</u> as modified, teaches wherein the at least one messaging function retrieves and reads messaging data in the message system (see <u>Drexter</u>, page 3, paragraph 0038).

Art Unit: 2164

As to claim 57, <u>Drexter</u> as modified, teaches wherein the table function building application includes a means for collecting the table formatting specifications from a user (see <u>Drexter</u>, page 3, paragraphs 0035-0037).

As to claim 58, <u>Drexter</u> as modified, teaches wherein the table function building application includes means for downloading the table formatting specifications from a file (see <u>Drexter</u>, page 3, paragraph 0034).

As to claim 64, <u>Drexter</u> as modified, teaches wherein the table function building application builds the table function based on the plurality of table formatting specifications collected through the graphical user interface (see <u>Drexter</u>, page 3, paragraphs 0035-0037).

As to claim 65, <u>Drexter</u> as modified, teaches wherein the invoking means includes means for selecting messaging data from the table view (see <u>Drexter</u>, page 3, paragraph 0036).

As to claim 67, <u>Drexter</u> as modified, teaches a system for generating a customized invocation mechanism (see <u>Drexter</u>, page 1, paragraph 0002), comprising:

an interface for receiving customizations (see <u>Drexter</u>, page 3, paragraph 0034-0037); and

a software module coupled to the interface for building an invocation mechanism based on the customization specifications and storing the invocation mechanism in a database (see Drexter, page 3, paragraph 0034, where it is inherent that the associations (functions) are stored

Art Unit: 2164

if they are going to be retrieved or recalled), wherein the invocation mechanism is invokable by the database for accessing data external to the database (see <u>Drexter</u>, page 3, paragraphs 0036-0037).

As to claim 75, <u>Drexter</u> teaches a method for generating a customized invocation mechanism (see page 1, paragraph 0002), comprising the steps of:

receiving customization specifications (see <u>Drexter</u>, page 3, paragraphs 0034-0037); and building an invocation mechanism based on the customization specifications (see <u>Drexter</u>, page 3, paragraph 0034), wherein the invocation mechanism is invokable for accessing data external to the database (see <u>Drexter</u>, page 3, paragraphs 0036-0037).

<u>Drexter</u> does not distinctly disclose storing the invocation mechanism in a database and wherein the invocation mechanism is invokable by the database for accessing data external to the database.

Leymann et al. teaches this, see column 3, lines 43-59; column 10, lines 15-54; column 11, line 50 through column 12 line 9; and column 12, line 58 through column 13, line 7.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> to include the teachings of <u>Leymann et al.</u> because the location of the table function in no way effects the result of what happens when the table function is invoked to convert the message data. Therefore it would be obvious to have the table function be part of the database to produce the same predictable results.

Further, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the database with the table function because it is commonplace

that combination of two things typically used together into a single thing is obvious. See, e.g., Anderson's-Black Rock, Inc. v. Pavement Salvage Co., 396 U.S. 57 (1969); Richardson-Vicks Inc. v. Upjohn Co., 122 F.3d 1476, 44 USPQ2d 1181 (Fed.Cir. 1997).

As to claim 83, <u>Drexter</u> teaches a program product containing instructions executable by a computer, the instructions embodying a method for generating a customized invocation mechanism (see page 2, paragraph 0024), comprising the steps of:

receiving customization specifications (see page 3, paragraphs 0034-0037); and building an invocation mechanism based on the customization specifications (see page 3, paragraph 0034), wherein the invocation mechanism is invokable for accessing data external to the database (see page 3, paragraphs 0036-0037).

<u>Drexter</u> does not distinctly disclose storing the invocation mechanism in a database and wherein the invocation mechanism is invokable by the database for accessing data external to the database.

Leymann et al. teaches this, see column 3, lines 43-59; column 10, lines 15-54; column 11, line 50 through column 12 line 9; and column 12, line 58 through column 13, line 7.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified Drexter to include the teachings of Leymann et al. because the location of the table function in no way effects the result of what happens when the table function is invoked to convert the message data. Therefore it would be obvious to have the table function be part of the database to produce the same predictable results.

Further, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the database with the table function because it is commonplace that combination of two things typically used together into a single thing is obvious. See, e.g., Anderson's-Black Rock, Inc. v. Pavement Salvage Co., 396 U.S. 57 (1969); Richardson-Vicks Inc. v. Upjohn Co., 122 F.3d 1476, 44 USPQ2d 1181 (Fed.Cir. 1997).

As to claim 68, 76, and 84, <u>Drexter</u> as modified, teaches wherein the invocation mechanism is dynamically generated (see page 3, paragraphs 0034-0037)

As to claim 69, 77, and 85, <u>Drexter</u> as modified, teaches wherein the invocation mechanism further comprises at least one of the group consisting of: a UDF, a table function, a virtual table, a stored procedure, a trigger, a query statement, and a federated table, and an equivalent of any of the foregoing (see page 3, paragraphs 0034-0037).

As to claim 70, 78, and 86, <u>Drexter</u> as modified, teaches further comprising means for invoking the invocation mechanism from a database (see pages 6-7, paragraphs 0070-0072).

As to claim 71, 79, and 87, <u>Drexter</u> as modified, teaches further comprising means for converting data accessed by the invocation mechanism into a format understood by the database (see page 5, paragraphs 0055-0057).

As to claim 72, 80, and 88, <u>Drexter</u> as modified, teaches wherein the interface further comprising a graphical user interface for receiving function customization specifications (see page 7, paragraphs 0074-0077).

As to claim 73, 81, and 89, <u>Drexter</u> as modified, teaches wherein the customization specifications further comprise specification of a relational format for nonrelational data accessed by the customized function (see page 3, paragraphs 0034-0037).

As to claim 74, 82, and 90, <u>Drexter</u> as modified, teaches wherein the interface further comprises means for previewing nonrelational data in relational format based on customization specifications (see page 3, paragraph 0034-0037).

4. Claims 6-9, 32-35, and 59-63 are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Drexter</u> (U.S. patent application publication No. 2002/0046248 A1) in view of <u>Leymann et al.</u> (U.S. patent No. 6,122,633) as applied to claims 1-5, 10-12, 14-17, 22-24, 26-31, 36-38, 40-43, 48-50, 52-58, 64-65, and 67-90 above, and in further view of <u>Demers et al.</u> (U.S. patent No. 5,870,761).

As to claims 6 and 32, <u>Drexter</u> as modified, teaches wherein the providing step (a) further includes the steps of:

- (a1) selecting a name for the table function (see page 3, paragraph 0034);
- (a2) specifying where the table function is to be stored (see page 3, paragraph 0034 and see page 4, paragraph 0041).

Art Unit: 2164

(a3) indicating where the messaging data resides (see page 3, paragraph 0038).

<u>Drexter</u> does not teach selecting a type for the table function, wherein the type includes one of a retrieve function and a read function.

<u>Demers et al.</u> teaches this (see column 5, lines 4-12). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> to include the teachings of <u>Demers et al.</u> because these teachings would allow other destination sites to dequeue the record (see <u>Demers et al.</u>, column 5, lines 4-12).

As to claims 7 and 33, <u>Drexter</u> as modified, teaches wherein the specifying step (a2) further includes the steps of:

(a2i) providing a database name and access information; and (a2ii) allowing the user to validate the access information (see <u>Drexter</u>, page 4, paragraph 0039).

As to claims 8 and 34, <u>Drexter</u> as modified, teaches wherein the indicating step (a3) further includes the step of:

(a3i) providing a service point name for the messaging data (see <u>Drexter</u>, page 3, paragraph 0038).

As to claims 9 and 35, <u>Drexter</u> as modified, teaches wherein the indicating step (a3) further includes the step of:

(a3i) providing a system default endpoint for the messaging data (see <u>Drexter</u>, page 3, paragraph 0037).

As to claim 59, <u>Drexter</u> as modified, teaches wherein the collecting means comprises a graphical user interface, wherein the graphical user interface prompts a user to select a name to specify where the table function is to be stored, and to indicate where the messaging data resides (see page 3, paragraph 0034).

<u>Drexter</u> does not teach to select a type for the table function, wherein the type includes one of a retrieve function and a read function.

<u>Demers et al.</u> teaches this (see column 5, lines 4-12). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> to include the teachings of <u>Demers et al.</u> because these teachings would allow other destination sites to dequeue the record (see <u>Demers et al.</u>, column 5, lines 4-12).

As to claim 60, <u>Drexter</u> as modified, teaches wherein the graphical user interface further prompts the user to provide formatting information about the messaging data (see <u>Drexter</u>, page 3, paragraphs 0035-0036).

As to claim 61, <u>Drexter</u> as modified, teaches wherein the messaging data comprises a message string, the message string including a plurality of substrings, wherein each substring represents data that is returned as a column in a table (see <u>Drexter</u>, page 3, paragraph 0036).

Art Unit: 2164

As to claim 62, <u>Drexter</u> as modified, teaches wherein the graphical user interface further allows the user to define a column for each substring of the plurality of substrings in the message string (see <u>Drexter</u>, page 3, paragraph 0035-0037).

As to claim 63, <u>Drexter</u> as modified, teaches wherein the table function building application builds the table function based on the plurality of table formatting specifications collected through the graphical user interface (see <u>Drexter</u>, page 3, paragraph 0035-0037).

5. Claims 13 and 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Drexter</u> (U.S. patent application publication No. 2002/0046248 A1) in view of <u>Leymann et al.</u> (U.S. patent No. 6,122,633) as applied to claims 1-5, 10-12, 14-17, 22-24, 26-31, 36-38, 40-43, 48-50, 52-58, 64-65, and 67-90 above, and in further view of <u>Huth et al.</u> (U.S. patent No. 6,704,742 B1).

As to claims 13 and 39, <u>Drexter</u> as modified, teaches wherein the invoking step (d1) further includes:

- (d1i) checking for the parser function within the database system (see figure 2, reference number 42); and
- (d1iii) registering the parser function to the database system after it is built (see page 3, paragraph 0036).

Drexter does not teach

(dlii) building the parser function if it does not exist within the database system.

Art Unit: 2164

Huth et al. this (see column 9, lines 30-58). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Drexter to include the teachings of Huth et al. because these teachings would allow the manipulation of data in a way that was not previously defined (see Huth et al., abstract).

6. Claims 18-21, 25, 44-47, 51, and 66 are rejected under 35 U.S.C. 103(a) as being unpatentable over <u>Drexter</u> (U.S. patent application publication No. 2002/0046248 A1) in view of <u>Leymann et al.</u> (U.S. patent No. 6,122,633) as applied to claims 1-5, 10-12, 14-17, 22-24, 26-31, 36-38, 40-43, 48-50, 52-58, 64-65, and 67-90 above, and in further view of <u>Poskanzer</u> (U.S. patent No. 6,658,426 B1).

As to claims 18 and 44, <u>Drexter</u> as modified, teaches wherein the defining step (a1) further includes the steps of:

(a1i) naming each column (see page 5, paragraph 0056)

Drexter does not teach (alii) designating a data type for each column.

<u>Poskanzer</u> teaches this (see column 3, lines 39-43). Therefore, It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> to include the teachings of <u>Poskanzer</u> because these teachings would determine how the SQL statement must be structured to access data relating to that field (see <u>Poskanzer</u>, column 3, lines 39-43).

As to claims 19 and 45, <u>Drexter</u> as modified, teaches wherein the defining step (a1) further includes the step of:

Art Unit: 2164

(a1iii) allowing the user to view the messaging data formatted according to the column definitions provided (see <u>Drexter</u>, page 3, paragraph 0035).

As to claims 20 and 46, <u>Drexter</u> as modified, teaches wherein the providing step (a) further includes the step of:

(a2) building the table function based on the table formatting specifications collected from the user (see <u>Drexter</u>, page 3, paragraph 0035-0037).

As to claims 21 and 47, <u>Drexter</u> as modified, teaches wherein the converting step (c) further includes:

- (d1) parsing the message string into the plurality of substrings (see <u>Drexter</u>, page 5, paragraph 0056).
- (d2) converting each substring into the designated data type corresponding to its column (see <u>Poskanzer</u>, column 3, line 54 through column 4, line 4).

As to claims 25 and 51, <u>Drexter</u> as modified, does not teach wherein the invoking step (c) further includes the step of:

(c1) integrating the table function within a structured query language statement.

<u>Poskanzer</u> teaches this (see column 3, lines 26-43). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> to include the teachings of <u>Poskanzer</u> because these teachings would allow it to input data into an SQL database (see <u>Poskanzer</u>, column 3, lines 29-34, and see lines 15-17).

As to claim 66, <u>Drexter</u> as modified, does not teach wherein the invoking means includes means for integrating the table function within a structured query language statement.

Poskanzer teaches this (see column 3, lines 26-43). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified <u>Drexter</u> to include the teachings of <u>Poskanzer</u> because wherein the invoking means includes means for integrating the table function within a structured query language statement would allow it to input data into an SQL database (see <u>Poskanzer</u>, column 3, lines 29-34, and see lines 15-17).

Response to Arguments

7. Applicant's arguments with respect to claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacob F. Bétit whose telephone number is (571) 272-4075. The examiner can normally be reached on Monday through Friday 9:30 am to 5:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Rones can be reached on (571) 272-4085. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

jfb

24 Aug 2007

JAMES DWYER, DIRECTOR TECHNOLOGY CENTED 2100